





## Isoliersockel

## Halbleiterschutz

### Isoliersockel für Sicherungen mit Kontaktmessern

(französische Norm)



Größe	Betriebsstrom in A (max.)	Bemessungsspannung in V	Kontakt	Teile-Nummer	Bezeichnung	Gewicht in g/Stück	VE
30	550	1250	EF	T096939	SP 30	340	1
31	800	1250	EF	J098701	SE 31	400	1
32	1800	1250	EF	K098702	SE 32	840	1
33	2500	3200	EF	B209186	SF 50-33	1990	1
70	630	1500	EF	F096099	SP 70	440	1
71	1000	1500	EF	V098711	SE 71	460	1
72	1250	1500	EF	W098712	SE 72	940	1
73	1800	3200	EF	C209187	SF 50-73	1590	1
91	350	2000	EF	V098734	SE 91	955	1
92	500	2500	EF	W098735	SE 92	955	1
93	1800	3200	EF	X209090	SF 50-93	1625	1
120	200	2500	EF	S227394	SPV 43-120	500	1
121	315	2500	EF	T227395	SPV 43-121	1240	1
121	315	2500	EF	T226245	SE 43-121	550	1
122	500	2500	EF	V227396	SPV 43 122		1
122	500	2500	EF	V226246	SE 43-122	1020	1
123	1000	3200	EF	Y209091	SF 50-123	2190	1